

free pattern

Camp Out



Free pattern designed by Lisa Swenson Ruble • Finished Size: 72" x 72" • Available Feb/Mar 2023 at Benartex.com


CUTTING INSTRUCTIONS

WOF = Width of fabric | LOF = Length of fabric | *Sew strips via short ends, then subcut as indicated in pattern

A	CABIN LIFE 12935-99 <i>Red/Black</i>	2/3 YD	(2) 9-1/2" X WOF strips, subcut (8) 9-1/2" squares		D	COMFORT PLAII 12939-13 White/Gray	D 1-1/3 YDS	(8) 5" X WOF strips, subcut (64) 5" squares
В	BEAR COUNTRY 12936-09 <i>White</i>	7/8 YD	(4) 6-1/2" X WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles		E	CAMPING MEMORIES 12941-08 Gray	7/8 YD	(4) 6-1/2" X WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles
с	COMFORT PLAID 12939-10 Red	1-5/8 YDS	(4) 6-1/2" X WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles (8) 2-1/4" X WOF strips*, BINDING	 Q A A	F	WINTER WOOL 9618-12 Black	2-1/8 YDS	(12) 5" X WOF strips, subcut (32) 5" x 9-1/2" rectangles and (32) 5" squares

BLOCK ASSEMBLY Refer to BLOCK DIAGRAMS

- 1. Draw a diagonal line on the wrong side of D 5" squares.
- Place (1) D square right sides together on one end of F rectangle. Sew on drawn line, then trim excess to 1/4" and press open. Repeat on other side to complete DF unit. Square to 5" x 9-1/2", make (32).
- 3. Sew (1) DF UNIT to each side of A 9-1/2" square. Sew (1) F 5" square to each end of (2) DF UNITs, then sew to top and bottom to complete BLOCK 1. Square to 18-1/2", make (8).
- Sew (1) E 6-1/2" x 18-1/2" rectangle to the top of (1) C 6-1/2" x 18-1/2" rectangle and (1) B 6-1/2" x 18-1/2" rectangle to the bottom to complete BLOCK 2. Square to 18-1/2", make (8).



QUILT ASSEMBLY: *Refer to* **QUILT DIAGRAM** *for proper placement and rotation.*


5. SEW blocks together into rows, then sew rows together. ROWS 1 and 3: BLOCK 1 - BLOCK 2 - BLOCK 1 - BLOCK 2 ROWS 2 and 4: BLOCK 2 - BLOCK 1 - BLOCK 2 - BLOCK 1

BLOCK DIAGRAMS












BLOCK 1 make (8)





BLOCK 2

CAMP OUT QUILT DIAGRAM SIZE: 72" X 72"



FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with **C** fabric.

