free pattern





Around the Campfire by Lisa Swenson Ruble


by Lisa Swenson Rub (58″ x 70″)

CUTTING INSTRUCTIONS									
WOF = Width of fabric   LOF = Length of fabric   *Sew strips via short ends, then subcut as indicated in pattern									
	A	<b>LIVE, LOVE, CAMP PANEL</b> 14448-99 Multi	2/3 YD	(1) 24″ x 42″ rectangle		F	WOOD PANELING 14455-72 Light Oak	1-1/8 YDS	(5) 6-1/2″ x WOF strips, subcut (28) 6-1/2″ squares
All and a set of the s	В	CAMPING WORDS 14450-54 Blue	1/2 YD	(2) 6-1/2″ x WOF strips, subcut (4) 6-1/2" x 12-1/2″ rectangles		G	WOOD PANELING 14455-73 Maple	1/2 YD	(3) 3-3/4″ x WOF strips*, BORDER
	с	GONE CAMPING MOTIFS 14453-10 Red	1/2 YD	(2) 6-1/2" x WOF strips, subcut (4) 6-1/2" x 12-1/2" rectangles	H	н	BURLAP H 757-19 Dark Red	1-1/8 YDS	<ul> <li>(1) 6-1/2" x WOF strip, subcut (4) 6-1/2" squares</li> <li>(2) 1-3/4" x WOF strips, BORDER</li> <li>(2) 1-1/2" x WOF strips, BORDER</li> <li>(7) 2-1/4" x WOF strips, BINDING</li> </ul>
	D	GONE CAMPING MOTIFS 14453-55	1-1/2 YDS	<ul> <li>(1) 6-1/2" × WOF strip, subcut (2) 6-1/2" × 12-1/2" rectangles</li> <li>(7) 5-1/2" × WOF strips *,</li> </ul>					
	E	CAMPING ADVENTURE 14454-44 Green	1/2 YD	(2) 6-1/2" x WOF strips, subcut (4) 6-1/2" x 12-1/2" rectangles		1	<b>BURLAP</b> 757-55 Harbor Blue	1/2 YD	(5) 2-1/2″ x WOF strips *, <b>BORDER</b>

## **BLOCK ASSEMBLY**

- Noting the vertical orientation of the stripe, draw a diagonal line from lower left to upper right on the wrong side of (14) F 6-1/2" squares. Draw a diagonal line from upper left to lower right on the wrong side of the remaining (14) F 6-1/2" squares.
- Noting stripe orientation, place a marked F square on the left end of (1) E 6-1/2" x 12-1/2" rectangle. Stitch on the drawn line, trim seam allowance to 1/4", and press corner open. Repeat with a second marked F square on the right end of the rectangle to make BLOCK 1 measuring 6-1/2" x 12-1/2", make 4.
- In the same way, make (4) BLOCK 2 using C rectangles,
   (4) BLOCK 3 using B rectangles, and (2) BLOCK 4 using D rectangles.

## **BLOCK DIAGRAMS**



## QUILT ASSEMBLY: Refer to QUILT DIAGRAM for proper placement and rotation.

4. Sew H 1-1/2" x 42" strips to opposite sides of the A 24" x 42" panel rectangle. Sew H 1-3/4" x 26" strips to the top and bottom to create the QUILT CENTER, measuring 26" x 44-1/2".

BORDER ASSEMBLY: Measure width and length of quilt top to ensure border cutting sizes. Below are our measurements.

Refer to **QUILT DIAGRAM** for proper placement and rotation.

- 5. Sew **G**  $3-3/4'' \times (44-1/2'')$  strips to opposite sides of the **QUILT CENTER**.
- 6. Sew J 2-1/2" x (44-1/2") strips to opposite sides. Sew J 2-1/2" x (36-1/2") strips to the top and bottom.
- 7. Sew the following blocks together to created BORDER UNITS, then sew to quilt: LEFT & RIGHT BORDER UNITS: BLOCK 4 - BLOCK 3 - BLOCK 2 - BLOCK 1 TOP & BOTTOM BORDER UNITS: H 6-1/2" SQUARE - BLOCK 1 - BLOCK 2 - BLOCK 3 - H 6-1/2" SQUARE
- 8. Sew **D** 5-1/2" x (60-1/2") strips to opposite sides. Sew **D** 5-1/2" x (58-1/2") strips to the top and bottom.

## FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with **H** fabric.

AROUND THE CAMPFIRE QUILT DIAGRAM SIZE: 58" x 70"

