Benartex COMFORT FLANNEL

GREAT OUTDOORS BY KANVAS STUDIO

Sleep Under the Stars

Finished size: 72" x 72"

Designed by Lisa Swenson Ruble

# CUTTING INSTRUCTIONS

*WOF = Width of fabric | LOF = Length of fabric | *Sew strips via short ends, then subcut as indicated in pattern*

|							
A	**LODGE LIFE** 14660F-99 *Multi*	2/3 YD	(2) 9-1/2" x WOF strips, subcut (8) 9-1/2" squares	D	**WARM & COZY PLAID** 14663F-70 *Cream/Multi*	1-1/3 YDS	(8) 5" x WOF strips, subcut (64) 5" squares
B	**FALL FOLIAGE** 14662F-44 *Green*	1-5/8 YDS	(4) 6-1/2" x WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles (8) 2-1/4" x WOF strips*, **BINDING**	E	**NATURE TRAIL** 14661F-80 *Light Teal*	7/8 YD	(4) 6-1/2" x WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles
C	**CAMPGROUNDS** 14664F-07 *Cream*	7/8 YD	(4) 6-1/2" X WOF strips, subcut (8) 6-1/2" x 18-1/2" rectangles	F	**WINTER WOOL** 9618F-78 *Mocha*	2-1/8 YDS	(12) 5" x WOF strips, subcut (32) 5" x 9-1/2" rectangles and (32) 5" squares

BLOCK ASSEMBLY *Refer to BLOCK DIAGRAMS*

1. Draw a diagonal line on the wrong side of D 5" squares.

2. Place (1) D square right sides together on one end of an F rectangle. Sew on drawn line, then trim excess to 1/4" and press open. Repeat on other side to complete DF unit. Square to 5" x 9-1/2", make (32).

3. Sew (1) DF UNIT to each side of A 9-1/2" square. Sew (1) F 5" square to each end of (2) DF UNITs, then sew to top and bottom to complete BLOCK 1. Square to 18-1/2", make (8).

4. Sew (1) E 6-1/2" x 18-1/2" rectangle to the top of (1) C 6-1/2" x 18-1/2" rectangle and (1) B 6-1/2" x 18-1/2" rectangle to the bottom to complete BLOCK 2. Square to 18-1/2", make (8).


## QUILT ASSEMBLY: *Refer to QUILT DIAGRAM for proper placement and rotation.*

5. SEW blocks together into rows, then sew rows together.
ROWS 1 and 3: BLOCK 1 - BLOCK 2 - BLOCK 1 - BLOCK 2
ROWS 2 and 4: BLOCK 2 - BLOCK 1 - BLOCK 2 - BLOCK 1

BLOCK DIAGRAMS

1.

2.

DF UNIT (make 32)

3a.

3b.

BLOCK 1 *make (8)*

BLOCK 2 *make (8)*

SLEEP UNDER THE STARS
QUILT DIAGRAM
SIZE: 72" x 72"

FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with **C** fabric.