














free pattern

# Safari Adventure



- BY HEIDI PRIDEMORE
- FINISHED SIZE: 57 1/2" X 65 1/2"
- PATTERN AVAILABLE IN SEPT/OCT 2022  
AT [WWW.BENARTEX.COM](http://WWW.BENARTEX.COM)


**Benartex** KANVAS  
SAFARI ADVENTURE

SAMPLE	KEY/SKU	QTY	CUT	CUT PIECES VIA WOF
	<b>A</b> Safari Adventure Panel 12942-99 <i>Multi</i>	1 panel	Fussy cut (1) 34" x 42" panel.	
	<b>B</b> Go Wild 12951-11 <i>Gray</i>	3/8 yd	(2) 2-1/2" x 42" WOF strips. (2) 2-1/2" x 38" WOF strips.	
	<b>C</b> Safari Friends 12947-55 <i>Royal</i>	1/4 yd	(1) 4-1/2" x WOF strip. Sub-cut (4) 4-1/2" squares.	
	<b>D</b> Safari Camo 12943-44 <i>Green</i>	3/8 yd	(2) 4-1/2" x WOF strips. Sub-cut (10) 4-1/2" squares.	
	<b>E</b> Safari Jungle 12944-54 <i>Blue</i>	1/4 yd	(1) 4-1/2" x WOF strip. Sub-cut (5) 4-1/2" squares.	
	<b>F</b> Safari Greetings 12950-50 <i>Sky Blue</i>	1/4 yd	(1) 4-1/2" x WOF strip. Sub-cut (5) 4-1/2" squares.	
	<b>G</b> On Safari Words 12952-47 <i>Olive</i>	3/8 yd	(2) 4-1/2" x WOF strips. Sub-cut (10) 4-1/2" squares.	
	<b>H</b> Adventure Vehicle 12945-07 <i>Cream</i>	1/4 yd	(1) 4-1/2" x WOF strip. Sub-cut (5) 4-1/2" squares.	
	<b>I</b> Safari Jungle 12944-07 <i>Cream</i>	1/4 yd	(1) 4-1/2" x WOF strip. Sub-cut (5) 4-1/2" squares.	
	<b>J</b> Go Wild 12951-33 <i>Gold</i>	1/2 yd	(6) 2" x WOF strips.*	
	<b>K</b> Safari Adventure Stripe 12946-99 <i>Multi</i>	2 yds	(2) 5-3/4" x 70" LOF strips. (2) 5-3/4" x 62" LOF strips.	
	<b>L</b> Go Wild 12951-72 <i>Khaki</i>	5/8 yd	(7) 2-1/2" x WOF strips, BINDING.	


**BLOCK ASSEMBLY** *PROJECT USES PRECISE 1/4" SEAMS. TEST YOUR SEAM ALLOWANCE BY CUTTING (2) 2-1/2" X 5" RECTANGLES. STITCH THEM TOGETHER ALONG THE 5" LENGTH. AT THE MIDPOINT, MEASURE ACROSS THE UNIT. IT SHOULD BE EXACTLY 4-1/2" WIDE. IF NOT, ADJUST YOUR SEAM ALLOWANCE AND REPEAT.*

*Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.*

**1.** Sew (1) **B** 2-1/2" x 42" strip to each side of the **A** 34" x 42" rectangle. Sew (1) **B** 2-1/2" x 38" strip to the top and to the bottom of the **A** rectangle. Trim the block to measure 36-1/2" x 44-1/2" to make the **Center Block**.



**2.** Follow the diagram and sew together (11) assorted 4-1/2" squares to make the **Left Side Border**.



**3.** Follow the diagram and sew together (11) assorted 4-1/2" squares to make the **Right Side Border**.

**4.** Follow the diagram and sew together (11) assorted 4-1/2" squares to make the **Top Border**.



**5.** Follow the diagram and sew together (11) assorted 4-1/2" squares to make the **Bottom Border**.



\* SEW STRIPS VIA SHORT ENDS THEN GO TO BORDER ASSEMBLY  
WOF/LOF=WIDTH/LENGTH OF FABRIC

## QUILT ASSEMBLY

6. Sew the **Left Side Border** and **Right Side Border** to the left and to the right sides of the **Center Block**.

7. Sew the **Top Border** and the **Bottom Border** to the top and to the bottom of the **Center Block**.


BORDER ASSEMBLY *MEASURE WIDTH AND LENGTH OF THE QUILT TOP TO ENSURE J AND K BORDER SIZES, BELOW ARE OUR CUTTING SIZES.*

8. Sew (1) **J** 2" x (52-1/2") strip to each side of the **Center Block**. Sew (1) **J** 2" x (47-1/2") strip to the top and to the bottom of the **Center Block**.

9. Center (1) **K** 5-3/4" x (70") strip on (1) side of the Center Block and pin in place. Start sewing the strip a 1/4" from the top edge of the block and stop a 1/4" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

10. Repeat **Step 9** to sew (1) **K** 5-3/4" x 62" strip to the top and to the bottom of the **Center Block**, making sure to stop and start 1/4" away from each end of the block. To miter each corner, fold the **Center Block** on a diagonal, wrong side together. This should line up the strips from adjacent sides (see diagram).


11. Starting at the sewn seam (represented by the arrow in the diagram), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a 1/4" seam. Repeat this step with the remaining corners to make the quilt top.



**FINISHING** Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind as usual.

**FINISHED SIZE: 57-1/2" x 65-1/2"**

## QUILT DIAGRAM



*Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.*