

free pattern

Benartex

TRIPLE DYED BALIS

BALI ALL THE ANGLES












Try Angles

Finished size: 56" x 67"

Free pattern designed by Stephanie Sheridan

CUTTING INSTRUCTIONS


WOF = Width of fabric | HST = Half Square Triangle
**Sew strips via short ends, then subcut as indicated in pattern*

	TRIANGLES A 9276-01 White/Multi	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares		TRIANGLES F 9276-72 Cream/Caramel	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares
	TRIANGLES B 9276-02 Opal	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares		TRIANGLES G 9276-84 Teal	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares
	TRIANGLES C 9276-11 White/Stone	7/8 YD	(4) 6" x WOF strips, subcut (23) 6" squares		TRIANGLES H 9276-99 Multi	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares
	TRIANGLES D 9276-29 Red	1/2 YD	(2) 6" x WOF strips, subcut (8) 6" squares				
	TRIANGLES E 9276-34 Gold/Emerald	5/8 YD	(3) 6" x WOF strips, subcut (15) 6" squares				
				SUPERIOR SOLIDS J 3000B-39 Fern			
				(1) 10-1/2" x WOF strip, subcut (24) 1-1/2" x 10-1/2" strips (13) 1-1/2" x WOF strips *, SASHING and BORDER (6) 2-1/4" x WOF strips *, BINDING			

UNIT ASSEMBLY: Refer to UNIT DIAGRAMS


- Cut all 6" squares in half diagonally to create HSTs.
Note—you will have leftover C and D HSTs to save for another project.
- Sew (1) A HST and (1) C HST together to create AC UNIT.
Press seam allowance open. Square to 5-1/2", make (15).
- Repeat step 2 to create remaining units with fabrics shown in diagrams. Square all to 5-1/2", make number indicated.

UNIT DIAGRAMS



BLOCK ASSEMBLY: Refer to BLOCK DIAGRAMS BELOW

- Sew (1) each AC, AG, BD, and CG UNITS together as shown, noting rotation of each unit to create BLOCK 1. Square to 10-1/2", make (15).
- Repeat step 4 to create BLOCK 2 using units shown. Square to 10-1/2", make (15).



QUILT ASSEMBLY: *Refer to **QUILT DIAGRAM** for proper placement and rotation.*

6. Sew BLOCKS and J $1\text{-}1\frac{1}{2}" \times 10\text{-}1\frac{1}{2}"$ strips together into rows. Measure rows (ours are $54\text{-}1\frac{1}{2}"$), cut (5) J sashing strips to fit, then sew rows and sashing strips together.

Rows 1, 3, 5: BLOCK 1 - J - BLOCK 2 - J - BLOCK 1 - J - BLOCK 2 - J - BLOCK 1

Rows 2, 4, 6: BLOCK 2 - J - BLOCK 1 - J - BLOCK 2 - J - BLOCK 1 - J - BLOCK 2

BORDER ASSEMBLY: *Measure width and length of quilt top to ensure border cutting sizes. Below are our measurements.*

*Refer to **QUILT DIAGRAM** for proper placement and rotation.*

7. Sew (1) J $1\text{-}1\frac{1}{2}" \times (65\text{-}1\frac{1}{2}"$) strip to each side of quilt, then sew (1) J $1\text{-}1\frac{1}{2}" \times (56\text{-}1\frac{1}{2}"$) strip to top and bottom.

FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with J fabric.

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

Share your finished quilt with the Benartex Community
on social media by tagging **#benartex** or **#benartexfabrics**



Also visit our Sewing Group on Facebook,
Create Inspire Delight

TRY ANGLES
QUILT DIAGRAM
SIZE: 56" x 67"

